FEATURE DEMO · MATH

A lone equation takes the whole slide.

The `math` layout used to hold a legend column open for an equation that had no legend: a divider and an empty half. With no legend it now centers the equation on the full stage, and the alignment modifiers move it.

DEFAULT

With no legend, the equation is centered.

$$\int_0^\infty e^{-x^2}\,dx = \frac{\sqrt{\pi}}{2}$$

ALIGN-LEFT ALIGN-MIDDLE

`align-left` moves it to the left margin.

$$\int_0^\infty e^{-x^2}\,dx = \frac{\sqrt{\pi}}{2}$$

ALIGN-RIGHT ALIGN-MIDDLE

`align-right` moves it to the right.

$$\int_0^\infty e^{-x^2}\,dx = \frac{\sqrt{\pi}}{2}$$

ALIGN-CENTER ALIGN-BOTTOM

`align-bottom` drops it to the foot of the slide.

$$\int_0^\infty e^{-x^2}\,dx = \frac{\sqrt{\pi}}{2}$$

WITH A LEGEND, THE SPLIT STAYS

One equation, its symbols named beside it.

$$\hat{\beta} = (X^\top X)^{-1} X^\top y$$

WHERE

- $\hat{\beta}$ — the OLS coefficient vector
- X — the design matrix
- y — the response

A LONGER EQUATION STILL FITS

A longer equation still fits.

$$\mathcal{L}(\theta) = -\frac{1}{N}\sum_{i=1}^{N}\left[y_i \log \sigma(x_i^\top \theta) + (1 - y_i)\log\left(1 - \sigma(x_i^\top \theta)\right)\right] + \lambda \|\theta\|_2^2$$

FEATURE BEHAVES THE SAME

`math feature` with no legend follows the same modifiers.

$$\int_0^\infty e^{-x^2}\,dx = \frac{\sqrt{\pi}}{2}$$