SLIDES FROM YOUR OUTLINE

Write the outline. Skip the separators.

There's nothing to set — every `##` is a slide by default, so a deck reads like a document, with no `---` to remember or forget.

Headings already mark your slides.

The first `#` is the lead slide; every `##` after it opens a new one. You were going to write those headings anyway — Lattice just lets them do the dividing by default, so the body stays clean Markdown an outliner or linter is happy with.

HOW IT READS

The mental model is the table of contents.

One H1

The deck title — your lead slide.

Each H2

A new slide, titled by the heading.

No rules

Not a single `---` in the body.

THE DETAIL THAT MATTERS

Your eyebrow and class ride along.

A slide's `<!-- _class -->` directive and its eyebrow sit above the heading in source — and stay with it. The break is pulled back over that lead-in, so it never orphans onto the slide before.

Eyebrow first

The kicker above this title is on THIS slide, not the last.

Directives travel

`_class: cards-grid` attaches to the heading it precedes.

Same on export

The emulator and the marp-cli export divide identically.

WHEN YOU STILL WANT A RULE

A dash still works when you need one.

01	Headings drive the common case	`##`
→	**A literal `---` still forces a break**	`hybrid`
03	Use it for a slide with no heading	`image`
04	Or to split two slides under one idea	`rare`

NO SILENT SURPRISES

A typo can't quietly change the split.

The guard

`npm run lint:deck` flags an `unknown-split` value.

The fallback

An unknown mode falls back to the default — your deck still renders.

The vocabulary

Exactly two modes: `headings` (default) and `rule`.

NOTHING TO SET

Keep the content. Drop the dashes.

This very deck sets no `split:` key — the headings do the work. Add `split: rule` only if you want to go back to splitting on `---`.