

LATTICE · INLINE ICONS

**An icon is a drawing
the size of a word.**

Written like a spark, colored by the deck, and never a font glyph or an emoji.

One icon, three looks, framed or bare.

LOOK	DATABASE	BUCKET	SHIELD	ROCKET
pigment , the default				
etching				
tone				
rounded				
bare				

Framed by
default, bare
when a line
needs it quiet.

Framed, the default

Raw files land in  S3, a  Lambda reads each one, and  Snowflake holds the model.



Bare, the same words, on request

Raw files land in  S3, a  Lambda reads each one, and  Snowflake holds the model.



Uploads reach the warehouse in under a minute.



A cloud service is a role icon and its name.

ROLE	AWS	AZURE	GOOGLE CLOUD
Object storage	 S3	 Blob Storage	 Cloud Storage
Functions	 Lambda	 Functions	 Cloud Functions
Warehouse	 Redshift	 Synapse	 BigQuery
Queue	 SQS	 Service Bus	 Pub/Sub
Identity	 Cognito	 Entra ID	 Identity Platform

An icon takes the size of the text around it.

WHERE	SM	MD	LG
In a sentence	Alerts go to  on-call.	Alerts go to  on-call.	Alerts go to  on-call.
Bare	 	 	 
Beside a spark	 	 	 

One class sets every icon on a slide.

This slide carries `_class: icon-bare`, so every icon on it drops its tile:   
 .

An icon's own word still wins:  keeps its tile here.

A deck sets the same thing for every slide with `icon: bare` in its front matter,
and a slide's own `icon-framed` takes it back, on that axis only.

A name that is not in the set stays code, and lint says why.

WRITTEN

LINT:DECK SAYS

`^{s3}``s3` is a service, not an icon: use the role icon `bucket` and put S3 in the text beside it`^{database}`not an icon: did you mean `database` or `dataset`?`^{bucket, c13}``c13` is past the limit: this takes `c1` – `c12``{X, icon=lambda}`the same coaching for a pill: use `icon=function` and keep Lambda as the label

The backslash in front keeps the notation literal, which is how this slide shows it.