

FIT LADDER • THE SPLIT MOVE

Auto-split

When a slide holds more than it can show, it becomes several — automatically, at export.

The problem auto-split solves

- Every layout declares how many items it holds comfortably — its **capacity**
- Past that budget the slide **overflows**: the title clips off the top, the last items off the bottom
- Below the readable type floor the engine has nothing smaller to reach for
- The honest fix is **more slides, not smaller type** — readability is the floor, never the variable

How it works

- A slide past its `capacity.hard` is **divided into several** that each fit
- The **heading repeats**; ordered lists **renumber** across the break
- **Nothing is lost** — every item survives, in order
- **Read-across** content (columns, code) is **never split** — it escalates instead
- A **portrait-family** behavior — landscape resolves overflow another way
- Opt in per deck with `autosplit: on`

Launch readiness — fourteen checks

Launch readiness — fourteen checks

✓ Signal intake wired

✓ Scoring model calibrated

✓ Decision log live

✓ Calibration loop running

✓ Weekly review scheduled

✓ Quarterly audit booked

Launch readiness — fourteen checks (cont.)



Stakeholder map signed off



Risk register populated



Budget tracker reconciled



Hiring plan approved



Roadmap published



Retrospective template ready

Launch readiness — fourteen checks (cont.)

☐ Metrics review automated

☐ Customer interviews booked

What you just saw

- The fourteen-item checklist exceeded the layout's comfortable budget
- Rather than clip, it split into **several comfortable slides** — the heading carried onto each, marked `(cont.)`
- The author wrote one slide; the export produced the right number
- No deck without `autosplit: on` is affected — existing decks render unchanged

More slides, never smaller type

*Readability is the
floor*