AUTO-SPLIT · EVERY COMPONENT, EVERY VARIANT

Split coverage

A component's declared reader is one shape. A variant that renders another still has a seam, and this deck is where each newly-reachable one is rendered and read.

What this deck is for

What this deck is for

- Every slide after this one is a component or variant that could not split before
- Each is the verification record the split oracle asks for: render it at a portrait size and read the pages

continues →

What this deck is for (cont.)

- The pages you see are the export, not a preview
  - Nothing here is measured at render time; the cut comes from the markup

A listing past the wall splits by line-run.

2 parts →

A listing past the wall splits by line-run.

```
// `code` had a treatment
// and no processor.
import { read } from 'node:fs';

export function load(path) {
  const src = read(path);
  const fm = split(src);
  if (!fm) return bare(src);
  const front = {};
  for (const l of fm.lines) {
    const at = l.indexOf(':');
    if (at < 0) continue;
```

A listing past the wall splits by line-run. (cont.)

```
    front[key(l)] = val(l);
  }
  return { front, body: fm.rest };
}

export function pages(body) {
  return cut(body).length;
}
```

Two fenced blocks take a page each.

2 parts →

Two fenced blocks take a page each.

```
const before = cut(deck).length;
```

Two fenced blocks take a page each. (cont.)

```
const after = pages(deck).length;
```

A register with no clause still paginates.

Entry by entry →

A register with no clause still paginates.

cards-grid `stable`

split-panel stable →

A register with no clause still paginates.

split-panel `stable`

radar beta →

A register with no clause still paginates.

radar beta

word-cloud preview →

A register with no clause still paginates.

word-cloud `preview`

The second axis: how far it reaches.

The verb is one axis — how you think. **Reach** is the other — how far what you make travels.

Own the verb →

The second axis: how far it reaches.



I

Own the verb

You can do the cognitive work — correct, clear, complete. It reaches only you.

Widen the reach →

The second axis: how far it reaches. (cont.)

↓

II

Widen the reach

The work travels: team, org, field. Documented, adopted, durable.

the note →

The second axis: how far it reaches.

- *Most engineers stall on making it travel, not on the thinking.*

The rollout, by horizon.

Phase 01 Horizon 1 Now →

The rollout, by horizon.

PHASE 01 Horizon 1

Now

SIGNAL INTAKE

Connector v1

SCORING

Equal weights

REVIEW

Manual

Horizon 2 →

The rollout, by horizon. (cont.)

PHASE 02 Horizon 2

Next

SIGNAL INTAKE

Two more sources

SCORING

Tuned weights

REVIEW

Sampled

Horizon 3 →

The rollout, by horizon. (cont.)

PHASE 03 Horizon 3

Later

SIGNAL INTAKE

Streaming

SCORING

Learned weights

REVIEW

Exception only

Duties, regime by regime.

Regime by regime →

Duties, regime by regime.

GDPR

Notice 

Consent 

Retention 

Breach 

Duties, regime by regime.

CCPA/CPRA

Notice	
Consent	[~]
Retention	
Breach	

Duties, regime by regime.

LGPD

Notice 

Consent 

Retention [~]

Breach 

Effort against impact.

Quadrant by quadrant →

Effort against impact.

High impact · Low effort.

Quick wins

Ship these first

Option 1 of 4

Effort against impact. (cont.)

High impact · High effort.

Strategic bets

Fund deliberately

Option 2 of 4

Effort against impact. (cont.)

Low impact · Low effort.

Habit fillers

Prune here

Option 3 of 4

Effort against impact. (cont.)

Low impact · High effort.

Time sinks

One suffices

Option 4 of 4

A split page should look like the slide it came from, one element at a time.

split-panel pullquote · the seam holds

> **The quote keeps its half**
>
> The dark panel ends where it ends unsplit.

A split page should look like the slide it came from, one element at a time.

split-panel pullquote · the seam holds

The column reserves the band

Only the panel the pointer reaches gives up space.

A split page should look like the slide it came from, one element at a time.

split-panel pullquote · the seam holds

Every page reserves it

The last page has no pointer and holds it anyway.