

LABEL SETS • HEATMAP • THE KEY A RAMP WAS MISSING

# Name the bands, or let the chart do it.

A heatmap's five tones carry meaning no reader can recover from the tones alone.


A **label set** names them — derived from the data by default, overridden where the words matter.

# Without a key, the tones are unexplained.

|          | M0  | M1 | M2 | M3 |
|----------|-----|----|----|----|
| Jan 2026 | 100 | 62 | 48 | 44 |
| Feb 2026 | 100 | 58 | 44 | 41 |
| Mar 2026 | 100 | 71 | 59 | 55 |
| Apr 2026 | 100 | 69 | 57 |    |

RETENTION · 2026 COHORTS


# The chart can name its own bands.



RISK · BY SYSTEM AND QUARTER


# Where a number means nothing, a word means everything.

*The key binds to the ramp STEP, one through five — not to a value in the table.*




MARGIN · BY REGION

Name only the bands that carry a decision.



RETENTION · 2026 COHORTS

# A cell can carry its own explanation.



# One entry, three ways to write it.

---

- **Derived.**

- Add `scale` and the chart names each band by the values it covers.

- **Inline.**

- ``[{1, Cold}, {3, Warm}, {5, Hot}]`` above the table. Name some, keep the rest.

- **Per cell.**

- ``note=prose`` inside a cell. Hover on screen, speaker note in print.