

B&W-SAFE · INK ON PAPER

The boardroom deck that survives the printer.

Print mode renders the whole deck ink-on-white — grayscale plus textures, so nothing depends on hue. Set `color-mode: print`, or export with `--print`.

WHY A PRINT BAND

Hue is the one channel a gray printer throws away.

- Five tints that differ only in color collapse to the **same gray** on a mono printer.
- So the print band carries meaning on the channels that survive:
 - **stepped lightness**, a **defined border**, and a **hatch or dot texture**.

The figures read the same in gray.

73%

faster close

4.2×

signal recall

\$1.2M

prevented losses

-18d

avg cycle time

WHAT SURVIVES GRAYSCALE

Distinction without hue.

Borders

every fill gets a defined ink rule, so adjacent cards
never merge

Lightness

a stepped gray ramp separates categories up to about
five

Texture

hatch / dot / cross pattern fills carry chart & diagram
series past five


Shape & glyph

status keeps its shape mark — check, bang, cross;
sentiment keeps its face

WHERE THE BUDGET GOES

Chart series carry a texture, not a color.

The wedges differ by pattern, so the split survives a gray printer.



 Cloud	46%
 On-prem	30%
 Edge / CDN	24%

PRINT READY

One deck. Screen in color, paper in ink.

Author once; choose the surface at export.

Use `color-mode: print` for the paper handout, the default palette for the projector.