

FEATURE DEMO • THE CATEGORICAL CYCLE

Twelve categories a reader can actually tell apart.

The `--cat-*` cycle carries category identity across pies, badges, branches and lanes. This deck is what it looks like once every slot is separated on purpose rather than by accident.

WHY IT NEEDED FIXING


Twelve solves against one target land on one color.

Each slot used to be placed on its own: darken this fill until its label clears 4.5:1, then the next. Every slot met the target at the same lightness, so all that separated two categories was the gap between their hues.

The repair moves all twelve together — hues stay where the brand put them, and lightness does the work.

TWELVE SLOTS · THE HARDEST CASE

A pie has no borders, so the fill is the whole signal.




KEY INSIGHT

Mermaid draws no per-slice stroke, so the fill is the only thing telling one category from the next.

SIX SLOTS · THE COMMON CASE

Most charts never reach twelve.



KEY INSIGHT

Six reads comfortably. Twelve is separated so the long tail still works.

A pill has no border either.

STEP 01

Intake

Signals arrive
from four
channels and
land in one
queue.

STEP 02

Scoring

Each signal
takes a rubric
score before
anyone argues
about it.

STEP 03

Decision


The call is
made in the
room and
written down
the same day.

STEP 04

Review

Last quarter's
calls get re-
read against
what actually
happened.

Where a category gets an edge, it uses the other tier.



KEY INSIGHT

Node fills take one tier, branch strokes the other — and the two swap by canvas, so each is separated on its own.

THE CONTRACT

What it promises, and what it does not.

The pale tier holds all sixty-six pairs apart; the saturated tier holds neighbours apart. Both floors are what `indaco` and `cuoio` already reached.

It does not promise twelve distinct *hues* — five ramps cannot reach that without repainting brand colors. We recommend consolidating past six.