


EVIDENCE • CANVAS • SERIES

bar


Bars from a zero baseline that compare magnitude across categories — as columns, rows, side-by-side groups, or signed off a centered zero.

REVENUE · FY26


Growth is concentrated in two regions.




Support load sits with two teams.




We beat plan everywhere but APAC.



What moves the forecast, and which way.




Every unit named in full, nothing abbreviated.



REVENUE · FY26

Growth is concentrated in two regions.




REVENUE · FY26

Growth is concentrated in two regions.



REVENUE · FY26

Growth is concentrated in two regions.



When NOT to reach for bar.

Parts of one whole

If the categories add up to a total and the split is the story, use `piechart` or `stacked-bar`. A plain bar says nothing about it.

A continuous series over time

Twelve monthly bars ask a reader to compare twelve lengths when the claim is a trend. Use `line`, whose job is the movement.

A percentage against a target

'68% of goal' is attainment, not magnitude across categories. `progress` shows attainment; `bullet` adds the target and the band.

A rainbow single series

One series is one hue by design: the length carries the comparison. Color earns its place in `grouped`, where it names the series.

RELATED COMPONENTS

See also.

`progress` — attainment against 100% rather than magnitude
against each other

`piechart` — parts of a single whole, where the shares sum to
one total

`funnel` — each stage is a subset of the one before and the
drop-off is the story

`stats` — a row of headline figures with no like-for-like
comparison between them

`big-number` — one figure is the whole slide