


LAYOUT • SPLIT • MIXED

ROWS

Two components stacked on one slide, one above the other.

Hiring kept pace with the plan through Q3.

HIRED AGAINST PLAN



BY FUNCTION

FUNCTION	PLAN	HIRED
Engineering	120	118
Sales	60	55


Three regions carried the quarter.

WHAT HAPPENED

Two renewals and a price rise lifted EMEA and APAC; North America held.


REVENUE BY REGION

\$M, Q3



Hiring kept pace with the plan through Q3.

HIRED AGAINST PLAN



BY FUNCTION


FUNCTION	PLAN	HIRED	OPEN
Engineering	120	118	2
Sales	60	55	5

KEY INSIGHT

Sales is the one function still hiring into Q4.

Hiring kept pace with the plan through Q3.

HIRED AGAINST PLAN




BY FUNCTION

FUNCTION	PLAN	HIRED
Engineering	120	118
Sales	60	55

Hiring kept pace with the plan through Q3.

HIRED AGAINST PLAN




BY FUNCTION

FUNCTION	PLAN	HIRED
Engineering	120	118
Sales	60	55

Hiring kept pace with the plan through Q3.

HIRED AGAINST PLAN



BY FUNCTION

FUNCTION	PLAN	HIRED
Engineering	120	118
Sales	60	55

When NOT to reach for rows.

Two unrelated points

Two panes are one argument. If the halves say different things, make two slides.

A tall component

A component that needs height (a `quote`, a `kpi` row, `radar`) does not read in a band; the engine re-oriens or splits the slide, and `lint:deck` says so (`pane-arrange`).

Three or more things

A pane layout holds two panes. Three parallel items are `cards-stack` or `list`.

RELATED COMPONENTS

See also.

`columns` — the two components read better side by side

`cards-stack` — three or more parallel items, stacked

`split-panel` — one featured element beside supporting points