

BASE LAYER • THE DEFAULT TABLE

Universal table

A plain GFM pipe table used to render at raw browser defaults on every slide that was not one of the seven table-owning components. It now inherits a house treatment from the base layer — palette-blind, and standing off every component that styles its own table.

The gap this closes

Every table rule in the engine was scoped to a component. A markdown table on an un-classed slide, on `_class: content`, or under a base modifier got no borders, no cell padding, no header weight — the columns simply scattered across the slide.

REGION	Q3 REVENUE	Q4 REVENUE	CHANGE
North America	\$4.2M	\$5.1M	+21%
EMEA	\$3.8M	\$3.9M	+3%
APAC	\$1.9M	\$2.6M	+37%

The slide above declares no `_class` — this is the base treatment alone.

It reaches content too

The treatment is scoped to the stage's own child, so it lands wherever an author writes a table: an un-classed slide, a base-modifier slide, or a component that has no table opinion of its own.

CONTROL	OWNER	STATUS
Access review	Security	Complete
Vendor attestation	Legal	In flight
Key rotation	Platform	Not started

Column alignment still comes from the source

Markdown's `:---`, `:---:` and `---:` alignment survives untouched — the treatment sets type, rules and padding, never the author's alignment.

METRIC	TARGET	ACTUAL	VARIANCE
Gross margin	62%	64.1%	+2.1pt
Net retention	110%	118%	+8pt
Payback	18mo	21mo	-3mo

Left, centered, right, right — as written in the pipe table.

A specialist is untouched

A component that styles `<table>` owns its tables, and base stands off. Seven do: compare-table, glossary, obligation-matrix, statute-stack, math, roadmap and matrix-grid.

DIMENSION	OWNED ENGINE	MARP
Layout source	lattice.css	marp-core
Overflow	Fit Spine	none
Themes	26	3

♦ *Byte-identical to how this slide rendered before the change.*

Also untouched —

TERM	MEANING
Stage	The bounded content box a slide's body flows into
Deny guard	The <code>:where(:not(...))</code> list that holds base off a specialist
Subject	The last compound of a selector — what the rule actually styles

GATED, NOT REMEMBERED

The deny list cannot rot

An ownership gate fails the build on a component that styles a table element without a deny entry, and on a stale entry naming a component that no longer styles one. The list stays honest without anyone having to remember it.