

AUTO-SPLIT • SPLIT-PANEL

The marks change sides

A split page puts its wayfinding marks in the bottom-right corner. Three things decide what is in that corner: `mirror` reverses the row, `metric` inverts the panels, and a Form frame lifts both panels off it. The marks had to be told.

Reserved where the pill is

The panel the pointer reaches gives up the band.

“

The pointer moves with the row. So does its band.

the forward pointer

Not on the other one →

Not on the other one

Reserving both grew
the dark panel.

“

*The pointer moves with the
row. So does its band.*

the forward pointer

The same band on every page →

The same band on every page

The last page has no pointer and holds it.

“

The pointer moves with the row. So does its band.

the forward pointer

Navy on navy

The mirrored panel ran 1.02 to 2.72 across the light palettes.

“

Canvas ink is the wrong ink once the corner is the panel.

the k-of-N rail

Accent underneath →

Accent underneath

The watermark panel ran 1.00 to 2.61 on all 33.

“

Canvas ink is the wrong ink once the corner is the panel.

the k-of-N rail

The field's own ink now →

The field's own ink now

627 cells swept, none under 3 to 1,
floor 5.11.

“

*Canvas ink is the
wrong ink once the
corner is the
panel.*

the k-of-N rail

What a reader should see

Nothing printed through, on either panel, at any size — and a progress rail you can find. Two other marks in that corner read the same way unsplit, so they are recorded, not fixed here.