
EVIDENCE · CANVAS · SERIES

risk-matrix

A 5 × 5 likelihood × impact grid shaded by severity, with each risk as a numbered marker and a key that lists them worst first.


ENTERPRISE RISK REGISTER · Q4 2026

Cyber and hurricane risk sit in the red; both have a plan.



1. Cyber outage
2. Hurricane season
3. Reserve shortfall
4. FX swing
5. Key person loss
6. Pandemic


Ten risks, three in the same cell.



1. Cyber outage
2. Ransomware
3. Cloud provider failure
4. Hurricane season
5. Reserve shortfall
6. Regulatory fine
7. FX swing
8. Key person loss
9. Pandemic
10. Office flood

ENTERPRISE RISK REGISTER · Q4 2026


Cyber and hurricane risk sit in the red; both have a plan.



1. Cyber outage
2. Hurricane season
3. Reserve shortfall
4. FX swing
5. Key person loss
6. Pandemic

ENTERPRISE RISK REGISTER · Q4 2026


Cyber and hurricane risk sit in the red; both have a plan.



1. Cyber outage
2. Hurricane season
3. Reserve shortfall
4. FX swing
5. Key person loss
6. Pandemic

ENTERPRISE RISK REGISTER · Q4 2026

Cyber and hurricane risk sit in the red; both have a plan.



1. Cyber outage
2. Hurricane season
3. Reserve shortfall
4. FX swing
5. Key person loss
6. Pandemic

Composition: accent · risk-matrix accent

When NOT to reach for risk-matrix.

Scores that are not 1 to 5

The grid is five by five. A 1-to-10 or percentage scale has to be mapped to five bands first; a value outside 1 to 5 is not placed.

Using it as a scatter

Positions snap to whole cells, so two risks a decimal apart land together. When the exact position matters, use `scatter` or `quadrant`.

RELATED COMPONENTS

See also.

`heatmap` — a grid of numbers shaded by value, not a register of named risks

`quadrant` — items placed on two continuous axes with four named zones

`table` — the full register, with owners, controls and dates