


MERMAID FLOWCHART NARRATION

Read-aloud that reads the graph.

A `diagram` slide's flowchart used to narrate its heading and go silent. Now read-aloud (and the exported captions) describe it as a flow — following the path from the entry points, grouping each fan-out, and closing at the terminal nodes.

01 • LABELED FLOW


How a signal becomes a decision.

**KEY INSIGHT**

Read as a flow, not an edge dump: "Signal Intake leads to Scoring Model, which fans out to the Decision Log ... Decision Log, decide / close, leads to Outcome Store. The flow ends at Outcome Store." Edge labels fold in as clauses.

02 • DECISION BRANCH


A gate that splits the path.

**KEY INSIGHT**

The decision node fans out with its branch labels: "New request leads to Within policy?, which fans out to Auto-approve, yes and Send to review, no" — the conditions ride along, no shape names.

03 • CHAINED + FEEDBACK


When the graph loops, it stops guessing.

**KEY INSIGHT**

Calibration feeds back into Score and weight, so the graph has a cycle — there is no honest entry-to-exit order. Rather than impute a flow it can't defend, the narrator drops to a neutral per-node reading: "Score and weight leads to Decision log. Decision log leads to Calibration..."


04 • GROUPED STAGES

Subgraphs still narrate their edges.

**KEY INSIGHT**

A linear path that crosses two subgraph boundaries coalesces into one sentence — "Collect leads to Normalize, then Score, then Log. The flow ends at Log." — and the group boxes are never spoken as nodes.

A non-flowchart type reads its heading.



KEY INSIGHT

Sequence, class, state, ER, and gantt diagrams are not yet narrated — they fall back to the heading and this caption, exactly as before. No confidently-wrong reading of a graph the narrator can't yet parse.

The arrows are spoken now.

*flowchart topology · read-aloud + exported
captions*