*Graph substance · fourteen Mermaid types*

# Diagrams

When the relationship between things is the message — flow, structure, hierarchy, cause. These are the shapes only a graph renderer draws; anything quantitative has a native chart, and this deck says which.

HOW TO READ THIS DECK

# Relationships, not quantities.

One product told two ways: the chart family plots its data, this deck maps its structure — the same Decision Framework, seen as a graph.

orientation · diagram survey

**Reach for a diagram when the edges carry meaning**

A flowchart's arrows, an ER diagram's cardinality — the connections are the content, not decoration.

**Let the diagram own at least half the slide**

If the heading dominates and the graph is a sidebar, it is a prose slide with a picture.

**The palette drives every stroke automatically**

Mermaid pre-renders to SVG with theme tokens injected — dark and accent variants come free.

**Quantitative shapes defer to charts**


Plans, proportions, positions, boards, and state machines each have a native chart — the last slide maps them.

*Group 01 · Flow & sequence*


# How work moves through the system.

*Flow & sequence · Flowchart*

# How a raw signal becomes a logged decision.




# The score-and-decide handshake, actor by actor.



*Flow & sequence · Sankey*

# Where a thousand signals actually end up.




*Group 02 · Structure & schema*

# The shape of the data and the code.


*Structure & schema · Class*

# The scoring engine as an object model.




*Structure & schema · Entity relationship*

# The decision log, table by table.




# What the audit demands, traced to what satisfies it.



*Structure & schema · Packet*

# One decision-log record, field by bit.




*Group 03 · Hierarchy & systems*

# Wholes broken into parts, and parts wired together.


*Hierarchy & systems · Mindmap*

# The whole framework, decomposed on one canvas.




*Hierarchy & systems · Tree*

# The SDK repository, folder by folder.




# The same system, as deployed services.



*Hierarchy & systems · C4 context*

# Who touches the framework, and how.




*Group 04 · Cause, set & history*


# Why something happened, what overlaps, and what shipped.

*Cause, set & history · Ishikawa*

# Why per-team weighting stalled — the fishbone.




# Where the pilot audiences overlap.



*Cause, set & history · Git graph*

# How the scoring model reached v2.1.



*The chart handoff*

# When the shape is quantitative, use a native chart.

These shapes exist as both a Mermaid diagram and a native SVG-kernel component. Prefer the native one — it is themeable through tokens, lighter (no external renderer), and export-clean.

| WHEN YOU HAVE… | MERMAID WOULD DRAW | PREFER THIS NATIVE COMPONENT |
|---|---|---|
| **A dated plan or sequence of moments** | gantt, timeline, journey | `gantt` · `timeline-list` · `roadmap` · `journey` |
| **A proportion or a position on axes** | pie, quadrant, radar | `piechart` · `quadrant` · `radar` |
| **A board or a state machine** | kanban, stateDiagram | `kanban` · `state-chart` |

*Diagrams · graph substance*

# Reach for a diagram when the graph is the slide.

*Fourteen relational shapes, one palette, one product. For plotted data — proportions, positions, dated plans, boards — the native chart family renders it lighter and fully themeable.*