
Lattice · icons on hub-spoke

A hub and its spokes can say what each one is.

Hub-spoke takes the icons plugin's drawings: `{icon=…}` puts one in a disc beside the name, and `{icon=…, icon-only}` lets it stand in for the name.

Data platform · Sources


Five systems feed the warehouse; one is behind.



The icon sits inside its disc and the name stays beside it. A status still paints its own spoke, and the icon on it keeps 3:1 against the state color.

Partner ecosystem · By capability


Six partners cover three capabilities, two apiece.



A group disc keeps its hue and its key. The icon draws in the heading ink, which clears 3:1 on every group disc in every palette.

Release pipeline · Stages


Every stage of the release runs through the build service.



`icon-only` drops the label beside the disc. The name is still the disc's hover title and what a screen reader says.

FY2026 · Partner channel revenue · share of $120M


Two partners carry half of channel revenue.



Under `sized` the icon scales with its disc and stays inside a flagged disc's inner halo.

Platform organization · Service ownership · 2026

Four platform teams own eleven services; two are in trouble.



An `icon-only` hub draws the icon in place of its name. A branch's icon sits in its disc, and the leaves keep their names.

A record that does not draw is coached, and the disc shows its name.

WRITTEN ON A ROW	`LINT:DECK` SAYS
`{icon=lambda}`	a service, not an icon: use `function`
`{icon-only}`, **no** `icon=`	names no icon, so it shows its name
`{icon=bucket, at-risk}`	a record carries `icon=` and `icon-only` only
`{icon=database, icon-only}`, **no name**	no name: keep the words

With the icons plugin off, every disc shows its name, exactly as if no icon were written.