


MERMAID FLOWCHART NARRATION

Read-aloud that reads the graph.

A `diagram` slide's flowchart used to narrate its heading and go silent. Now read-aloud (and the exported captions) describe it as a flow — following the path from the entry points, grouping each fan-out, and closing at the terminal nodes.

01 • LABELED FLOW


How a signal becomes a decision.

**KEY INSIGHT**

Read as a flow, not an edge dump: the pipeline coalesces into one chain — "Signal Intake leads to Scoring Model ... then Decision Log ... then Outcome Store. The flow ends at Outcome Store." — with edge labels folded in as clauses and the two arrows into the Decision Log merged.

02 • DECISION BRANCH


A gate that splits the path.

**KEY INSIGHT**

Each branch binds to its condition unambiguously: "From Within policy?: on yes, leads to Auto-approve; on no, leads to Send to review" — a verb-bound clause per branch, not a flat comma list a listener can't parse.

03 • CHAINED + FEEDBACK


A pipeline with a loop back.

**KEY INSIGHT**

The feedback edge is detected and read as a loop, not misordered into the flow: "Raw signals leads to Classify, then Score and weight, then Decision log, then Calibration. Calibration, adjust weights, loops back to Score and weight."


04 • GROUPED STAGES

Subgraphs still narrate their edges.

**KEY INSIGHT**

A linear path that crosses two subgraph boundaries coalesces into one sentence — "Collect leads to Normalize, then Score, then Log. The flow ends at Log." — and the group boxes are never spoken as nodes.

A non-flowchart type reads its heading.



KEY INSIGHT

Sequence, class, state, ER, and gantt diagrams are not yet narrated — they fall back to the heading and this caption, exactly as before. No confidently-wrong reading of a graph the narrator can't yet parse.

The arrows are spoken now.

*flowchart topology · read-aloud + exported
captions*