

INVENTORY • LEDGER • STRUCTURE

list-tabular

Hairline-ruled ledger of items — name on the left, body on the right.

The tabular list rules rows into a register.

01	Rows	Label, clause, optional meta line.	TWELVE SOFT · SIXTEEN HARD
02	Looks	Eight named looks reskin the same rows.	
03	Escalation	Long content leaves for a real table.	

def pairs each term with its role.

01	TERM	
	Label	def styles the register as definitions.
02	ROLE	
	Chip	The inline code becomes a right-hand chip.
03	CLAUSE	
	Body	One clause under each term.

metric turns the chips into figures.

01	Rows carry values	12 / 16
02	Figures right-align	100%
03	Labels stay short	4 rows

spec documents flags and their types.

01	LATTICE_THEME	spec sets code labels beside type chips.	STRING
02	LATTICE_DEBUG	One clause explains each flag.	BOOL

register pairs names with status chips.

01	cards-grid	STABLE
02	split-panel	STABLE
03	radar	BETA
04	word-cloud	PREVIEW

rule draws a hairline under every row.

01 ON
Hairlines

rule adds the horizontal separators.

02 SAME
Density

Budgets do not change with the look.

solid fills the register with panel color.

01	Net new rows	4
02	Panel fill	on
03	Best for	headline metrics

stacked drops the clause under its label.

01`GET /PLANS/:NAME``200 | 404`

stacked gives each row two decks of text.

02`GET /GALLERY/:NAME``200`

The clause wraps below, full width.

outline boxes each row in a keyline.

01	cards-grid	STABLE
02	split-panel	STABLE
03	quote	STABLE

Eight rows is the register's practical page.

01	title	STABLE
02	big-number	STABLE
03	cards-grid	STABLE
04	split-panel	STABLE
05	funnel	STABLE
06	map	STABLE
07	radar	BETA
08	word-cloud	PREVIEW

The tabular list rules rows into a register.

01	Rows	Label, clause, optional meta line.	TWELVE SOFT · SIXTEEN HARD
02	Looks	Eight named looks reskin the same rows.	
03	Escalation	Long content leaves for a real table.	

The tabular list rules rows into a register.

01	Rows	Label, clause, optional meta line.	TWELVE SOFT · SIXTEEN HARD
02	Looks	Eight named looks reskin the same rows.	
03	Escalation	Long content leaves for a real table.	

The tabular list rules rows into a register.

01	Rows	Label, clause, optional meta line.	TWELVE SOFT · SIXTEEN HARD
02	Looks	Eight named looks reskin the same rows.	
03	Escalation	Long content leaves for a real table.	

When NOT to reach for list-tabular.

Three or fewer rows. The ledger needs density to justify its shape. For two to four items, reach for cards-stack — the rows get the room to breathe.

Long per-row prose. Each row is a name plus a sentence. If the description runs two or three sentences, move to cards-stack or split across slides.

Stacking two primary variants. `def`, `metric`, `spec` and `register` are mutually exclusive. Pair each only with its secondary modifier (`def+rule`, `metric+solid`, `spec+stacked`, `register+outline`).

RELATED COMPONENTS

See also.

- `glossary` — term/definition pairs with auto-derived range pill
- `cards-stack` — two or three richer items, not a ledger
- `actors` — the left column is a named person, not a key
- `list` — rows are bullets without a label-plus-description shape