A FIXED 16:9 DECK, OPENED ON A PHONE — REFLOWED TO PORTRAIT, ONE SLIDE PER SCREEN. SAME DECK, NO RE-AUTHORING.

VIEWER · RESPONSIVE READING

# Read it on your phone.

# The deck stays fixed. The reading goes fluid.

| | |
|---|---|
| A deck is authored once at a fixed shape | The PDF and the canonical export are untouched — fluid-box never changes an exported byte. |
| The viewer unbolts the box from that shape | Each slide sizes to the viewport instead of the authored 16:9, so a phone makes it portrait. |
| The existing runtime does the rest | It re-derives orientation from the measured box and every component reflows to its tall layout for free. |

IMPACT · PILOT RESULTS

# Six months of results across four product teams.

*In landscape these sit in a row; on a phone they stack into a single column.*

---

**73%**
FASTER CLOSE

**4.2×**
SIGNAL RECALL

**$1.2M**
PREVENTED LOSSES

**−18d**
AVG CYCLE TIME

# Revenue ahead of plan; margin and cash both expanded.

## $2.4B

Total revenue

TARGET $2.2B · +9% ✓ ON PLAN

## 42%

Gross margin

+2PP QOQ ✓ ON PLAN

## $1.1B

Cash & equivalents

+$180M QOQ ✓ ON PLAN

## +18%

YoY revenue growth

VS 14% PRIOR YEAR ✓ AHEAD

# One flag, one toggle.

| | |
|---|---|
| Export a fluid viewer | `lattice deck.md out.pdf --fluid` writes `out.html` as the viewer; the PDF is unchanged. |
| It is opt-in, off by default | The viewer opens fluid on a phone and as the authored deck on a laptop; a pill toggles between them. |
| Reflow is wired; density is next | A slide that overpacks a phone screen can still overflow — autofit and re-pagination are the sequenced follow-ups. |

RELATED

# Same deck. A reading that fits the screen.

`--fluid` — emit the opt-in viewer from any deck

`kpi` / `stats` — figure rows that reflow box-locally

The design — `engineering/decisions/2026-06-21-fluid-box-viewer-design.md`