LABEL SETS · ROADMAP · THE KEY STOPS ASSUMING YOUR DOMAIN

"Shipped" is a product word.

A roadmap already draws its own status key — one chip per state the grid carries, in lifecycle order. Until now it drew that key in **product English**, and no deck could say otherwise. The words are now a *default*.

A delivery plan reads correctly out of the box.

WORKSTREAM	Q1	Q2	Q3
Platform	✓ Auth rewrite	− Billing API	○ Multi-region
Mobile	✓ iOS 18	− Offline sync	⁄ ~~Watch app~~
Data	✓ Warehouse	○ Lineage	○ Self-serve

✓ Shipped − In flight ○ Planned ⁄ Out of scope

The key is derived: the states these cells use, in lifecycle order.

The same grid, for a legislative program.

WORKSTREAM	Q1	Q2	Q3
Privacy	✓ SB-21 passed	− Markup	○ Drafting
Tax	✓ HB-9 passed	⁄ ~~Withdrawn~~	○ Drafting
Energy	✓ SB-4 passed	− Floor vote	○ Drafting

✓ Enacted − In committee ○ Planned ⁄ Out of scope

Two renamed; the two left unnamed keep their defaults.

Address a state by its marker, not its name.

WORKSTREAM	NOW	NEXT
Research	✓ Interviews	○ Synthesis
Design	− Wireframes	○ Prototype

✓ Shipped − In flight ○ Not started

The key is the empty marker written out in full, brackets included — exactly as the cell spells it.

A key never names a state the grid does not carry.

WORKSTREAM	SPRINT 12	SPRINT 13
Checkout	✓ Apple Pay	✓ Gift cards
Search	✓ Typo tolerance	⁄ ~~Voice input~~

✓ Landed ⁄ Cut

No cell here is in flight or planned, so neither gets a chip.

One variant still draws no key, and should not.

WORKSTREAM	Q1	Q2
Platform	SHIPPED Auth rewrite	IN FLIGHT Billing API
Mobile	SHIPPED iOS 18	PLANNED Offline sync

The `status` variant prints the state on every cell. A key repeating those words would be chrome with nothing to say, so it is suppressed — with or without an authored label set.

What the label set changed here.

- The words are a default the manifest declares, not a fixed vocabulary
- The merge is partial: rename one state, the rest keep theirs
- Order stays the lifecycle's, never the order you listed them in
- One chip per state present, and none at all when nothing is marked
- `lint:deck` checks your keys against the same rows the chart renders from