UNIVERSAL TOKEN SYSTEM · PHASE 4

# One surface, one honest name.

*This very title rides `--surface-inverse` — the dark panel that used to be confusingly spelled `--bg-dark`.*

# The --bg-dark vs --dark-bg fix.

### The collision

`--bg-dark` (a dark panel on a light deck) sat one keystroke from `--dark-bg` (the canvas in dark mode) — opposite roles.

### surface-inverse

The dark panel on a light deck — title, divider, closing, split rails, code (was `--bg-dark`).

### scheme-dark-*

The dark-color-scheme inputs — the values `light-dark()` resolves to in dark mode (was `--dark-*`).

### Kept as-is

`--bg`, `--bg-alt`, `--border` are clear and short — renamed nothing for the sake of it.

# This panel is -- surface-inverse too.

*Bookends · title, divider, closing*

The whole dark-bookend trio paints one surface token. Reading the component CSS now tells you exactly which dark it means.

# And the code panel rides it as well.

```
// --code-bg now resolves through --surface-inverse
function panel(scheme) {
  return scheme === "dark"
    ? "--scheme-dark-*"   // the color-scheme inputs
    : "--surface-inverse"; // the dark panel on a light deck
}
```

PHASE 4 OF 7 · SEE ENGINEERING/DECISIONS/2026-06-11-UNIVERSAL-TOKEN-SYSTEM.MD

# Surfaces you can read at a glance.