


EVIDENCE • CANVAS • SERIES


bullet

Actual against target inside a qualitative band — one dense row per KPI.


Two of five KPIs cleared the plan line.




shared-axis puts every row on one ruler.



own-axis lines the plan up and lets each row keep its scale.




Stress test — seven rows, one runaway, one at zero.




Q3 2026 · COMMERCIAL PLAN


Two of five KPIs cleared the plan line.



Two of five KPIs cleared the plan line.



Two of five KPIs cleared the plan line.



When NOT to reach for bullet.

No target to measure against

A row with one pill draws a bar with no marker and no range — every mark that makes it a bullet is gone. Use `bar` instead.

One KPI on its own

A single row spends a whole slide on two numbers. Use `big-number`, or `stats` for a short row. This chart earns its density.

Red/amber/green range bands

The zones are one neutral on purpose: a traffic-light range re-states the verdict the target marker already carries.

When NOT to reach for bullet.

A KPI where lower is better

Cost against budget, churn against a ceiling: the bar grows past the marker, so beating the target reads as missing it.

See also.

`progress` — percent-complete with a status verdict and no target or range — HTML bars, so no marker and no band, but the row carries a status pill and a note the bullet has no room for

`bar` — magnitudes compared against each other rather than against a plan

`big-number` — one figure against its target is the entire slide

`stats` — a row of independent headline metrics with no shared scale

`gantt` — the rows are time-bound work, not measures against a threshold