

PROGRESSION · TIMELINE · GRAPH


state-chart

Native state machine diagram — states as a numbered list, transitions as nested inline-code refs.

SUBMISSION LIFECYCLE

States connect; the arrows carry the rules.


How a draft moves from author to publication.




Rejected drafts return to the author; revisions stay in review.

 on-track  at-risk

lr flows the states left to right.



tb stacks the states top to bottom.




inline sets the chart beside its prose.




☐ live

curved eases the arrows between states.



SUBMISSION LIFECYCLE

Stress test — back-edges, skips, self-loop.



SUBMISSION LIFECYCLE

States connect; the arrows carry the rules.

How a draft moves from author to publication.




Rejected drafts return to the author; revisions stay in review.

■ on-track ■ at-risk

SUBMISSION LIFECYCLE

States connect; the arrows carry the rules.

How a draft moves from author to publication.




Rejected drafts return to the author; revisions stay in review.

■ on-track ■ at-risk

SUBMISSION LIFECYCLE

States connect; the arrows carry the rules.

How a draft moves from author to publication.



Rejected drafts return to the author; revisions stay in review.

on-track at-risk

When NOT to reach for state-chart.

More than ~12 states

A long chain wraps onto more lines rather than shrinking, so eight or ten states still read. Past about a dozen the machine stops reading as a machine and starts reading as a list, however it is laid out. Group the states into phases and show one phase at a time, or step back to a higher-level abstraction. The chart's job is to make the topology obvious in one glance.

When NOT to reach for state-chart.

Hierarchical or parallel states

v1 grammar is one flat list of states with one outgoing arrow per nested bullet. Composite states, orthogonal regions, history nodes — anything Mermaid's `stateDiagram-v2` does and this layout doesn't — belong in a Mermaid fence via the `diagram` component.

Continuous processes

If the diagram is really a workflow with stages that overlap or block (queue depth, throughput, capacity), a `gantt` or `kanban` chart reads better. State charts are for discrete, mutually-exclusive states the system flips between.

See also.

`diagram` — the machine has hierarchical states, parallel regions, or guards that need Mermaid's full state-diagram grammar

`journey` — the sequence is a user's path through tasks with mood / affect, not a system's discrete states

`timeline-list` — events are points in time rather than transitions between named states

`list-steps` — a linear procedure with no branching — state-chart is overkill if there are no choices to make

`roadmap` — parallel workstreams across phases, not a single machine's transitions