

AUTO-SPLIT • SPLIT-PANEL MIRROR

The marks change sides

`mirror` reverses the panel row, so the corner a split page puts its wayfinding marks in stops being the supporting column and becomes the panel. Both marks had to be told.

Reserved where the pill is

The panel the pointer reaches gives up the band.

“

The pointer moves with the row. So does its band.

the forward pointer

Not on the other one →

Not on the other one

Reserving both grew
the dark panel.

“

*The pointer moves with the
row. So does its band.*

the forward pointer

The same band on every page →

The same band on every page

The last page has no pointer and holds it.

“

The pointer moves with the row. So does its band.

the forward pointer

Navy on navy

The base panel measured 1.02 to 1 across light palettes.

“

Canvas ink is the wrong ink once the corner is the panel.

the k-of-N rail

Accent underneath →

Accent underneath

The watermark panel measured 1.00 to 1 on all 33.

“

Canvas ink is the wrong ink once the corner is the panel.

the k-of-N rail

The panel's own ink now →

The panel's own ink now

Worst cell across 33 palettes is 5.33 to 1.

“

Canvas ink is the wrong ink once the corner is the panel.

the k-of-N rail

What a reader should see

Nothing printed through, on either panel, at any size — and a progress rail you can find. Two other marks in that corner read the same way unsplit, so they are recorded, not fixed here.