

LAYOUT · SPLIT · MIXED

columns


Two components side by side on one slide, at a ratio you choose.

Q3 REVIEW

Services outgrew licenses for the first time.

REVENUE BY LINE

\$M, trailing four quarters



WHAT CHANGED

- Services passed licenses in March
- Two renewals slipped to Q4

KEY INSIGHT

The mix shift is structural, not seasonal.

SUPPORT · AFTER THE MIGRATION

The migration halved support tickets.

BEFORE

- 1,240 tickets a month
- 31 hours to first reply

AFTER

- 610 tickets a month
- 6 hours to first reply

Two vendors cleared the security review.

CLEARED

- Northwind
- Contoso

FINDINGS BY VENDOR

VENDOR	CRITICAL	HIGH	STATUS
Northwind	0	1	Cleared
Contoso	0	2	Cleared
Fabrikam	2	4	Rejected

KEY INSIGHT


Fabrikam can re-apply after its Q1 fixes.

Q3 REVIEW

Services outgrew licenses for the first time.

REVENUE BY LINE

\$M, trailing four quarters



WHAT CHANGED

- Services passed licenses in March
- Two renewals slipped to Q4


KEY INSIGHT

The mix shift is structural, not seasonal.

Q3 REVIEW

Services outgrew licenses for the first time.

REVENUE BY LINE
\$M, trailing four quarters



WHAT CHANGED

- Services passed licenses in March
- Two renewals slipped to Q4

KEY INSIGHT


The mix shift is structural, not seasonal.

Q3 REVIEW

Services outgrew licenses for the first time.

REVENUE BY LINE

\$M, trailing four quarters



WHAT CHANGED

- Services passed licenses in March
- Two renewals slipped to Q4

KEY INSIGHT

The mix shift is structural, not seasonal.

When NOT to reach for columns.

Two unrelated points

Two panes are one argument. If the halves say different things, make two slides.

A binary decision with a verdict

Weighing two options and landing a recommendation is `split-compare`, whose verdict card this layout does not have.

Three or more things

A pane layout holds two panes. Three parallel items are `cards-grid` or `compare-prose`.

RELATED COMPONENTS

See also.

`rows` — the two components are wide and read better stacked

`split-panel` — one featured element beside supporting points, not two components

`split-compare` — two options and a recommendation

`compare-prose` — two or three co-equal options in prose