

ENGINE • BASE.FINISH.CSS

A finish mixes toward the surface the slide really paints

The dark half shipped first. Every other
mode carried the same mismatch, and
the gate was holding it by name.

What `--fin-canvas` is for

Every finish layer is palette-blind



What `--fin-canvas` is for


- Every finish layer is palette-blind
 - Wash, export face and clearance mask all mix toward one token, so a preset works on all 33 palettes.

That token has to be the real surface →

What `--fin-canvas` is for


(cont.)

- That token has to be the real surface
 - Name the deck ground on a slide painting its own panel and the mask paints a pale ellipse across it.



**A gallery contains
its asset on a matte**

That matte is `var(--bg-alt)`, not the
deck ground — so this wash used to
mix toward white over a surface two
steps away from it.



A scene's exhibit stage paints it too

Three of scene's compositions repaint the section, and all three are gated on an attribute — which every derivation in the gate walked straight past.

SECTION 02 · COVERS

**The covers are fixed
in the same change,
and this run shows
them**

The supporting detail →

The covers are fixed in the same change, and this run shows them

What the cascade does

An accent cover paints `var(--accent)` in every mode. Six of them re-point the canvas to match.

Why you can see it now →

The covers are fixed in the same change, and this run shows them

Why you can see it now

A split used to drop the `finish` class from a cover. Since #2305 it keeps it.

DECISION · THE GATE

An axis, not an allowlist

The reasoning →

An axis, not an allowlist

Pin the rows

A pin is a certificate. Three families stay wrong, signed off by the gate meant to catch them.

Derive the attribute →

An axis, not an allowlist

Derive the attribute

Any attribute selector in a painting rule becomes an axis value. 6,300 cells, 40 rows nobody had measured.

Zero rows out of
60,263, on every
palette — and
nothing pinned.