SECTION 01 · THE FOUR RELATIONSHIPS

When a split atomizes, the relationship has to survive it.

One member per slide, and the set still reads as one thing.

Sequence →


One member per slide, and the set still reads as one thing.

Sequence

Each page names the step that follows it.

Cycle →

One member per slide, and the set still reads as one thing. (cont.)



Hierarchy →

One member per slide, and the set still reads as one thing. (cont.)

Hierarchy

What this tier governs, and what governs it.

Comparison →

One member per slide, and the set still reads as one thing. (cont.)

Comparison	Which option, of how many, on which criteria.

the key insight →

One member per slide, and the set still reads as one thing.

KEY INSIGHT

A split that loses the relationship has not paginated the idea. It has scattered it.

How a scoring policy change ships.

Draft the change →

How a scoring policy change ships.

STEP 01

Draft the change

The owner writes the proposed weights and the reason, in the policy repo, as a pull request.

Circulate for comment →

How a scoring policy change ships. (cont.)

STEP 02

Circulate for comment

Five working days with the scoring council. Silence counts as assent, which is how the last two changes passed.

Recalibrate the backtest →

How a scoring policy change ships. (cont.)

STEP 03

Recalibrate the backtest

Re-score the last two quarters under the new weights and publish the delta against the shipped scores.

Sign off →

How a scoring policy change ships. (cont.)

STEP 04

Sign off

The council chair signs the policy hash.

Unsigned weights do not deploy.

Publish and announce →

How a scoring policy change ships. (cont.)

STEP 05

Publish and announce

The weights go live at the next scoring cycle, with the delta report attached.

The calibration loop never really ends.

Score →

The calibration loop never really ends.

Score

Signals arrive and are scored under the current published weights.

Decide →

The calibration loop never really ends. (cont.)

Decide

The scored signals feed the weekly review, and the decisions are logged against them.

Observe →

The calibration loop never really ends. (cont.)

Observe

Six weeks later the outcomes are known, and the log says what each decision was based on.

Recalibrate →

The calibration loop never really ends. (cont.)

Recalibrate

Weak predictors get downweighted, the policy hash changes, and scoring resumes.

back to Score

Where the data-residency requirement actually comes from.

From statute to case law →

Where the data-residency requirement actually comes from.

STATUTE

Cross-border transfer is prohibited absent an adequacy finding or an approved mechanism.

governs Implementing regulation ↓

Where the data-residency requirement actually comes from. (cont.)

IMPLEMENTING REGULATION

Names the approved mechanisms and the records the operator must keep for each.

governs Regulator guidance ↓

Where the data-residency requirement actually comes from. (cont.)

REGULATOR GUIDANCE

Non-binding, but it is what an audit is run against, and it changes often.

governs Case law ↓

Where the data-residency requirement actually comes from. (cont.)

CASE LAW

Two decisions narrowing the "approved mechanism" reading, both on facts close to ours.

governs Internal policy ↓

Where the data-residency requirement actually comes from. (cont.)

INTERNAL POLICY

Stricter than the statute on purpose, so a regulatory change is not a re-architecture.

under Case law ↑

Which option meets the residency criteria.

Build in region →

Which option meets the residency criteria.

Build in region.

Residency · Self-serve · SOC 2

Fully compliant and fully ours, including the two engineers it takes to keep it that way.

Option 1 of 4 · comparing Residency · Self-serve · SOC 2

Which option meets the residency criteria. (cont.)

Regional vendor.

✓ Residency ✗ Self-serve ✓ SOC 2

Compliant and certified, but every tenant change is a support ticket with a two-day turnaround.

Option 2 of 4 · comparing Residency · Self-serve · SOC 2

Which option meets the residency criteria. (cont.)

Global vendor with an addendum.

Residency · Self-serve · SOC 2

Fastest to ship and the weakest residency story — the addendum relies on a narrowed mechanism.

Option 3 of 4 · comparing Residency · Self-serve · SOC 2

Which option meets the residency criteria. (cont.)

Do nothing this year.

Residency | Self-serve | SOC 2

Cheapest today, and the only option with a live regulatory exposure attached to it.

Option 4 of 4 · comparing Residency · Self-serve · SOC 2

SECTION 02 · WHAT THE SPLIT CARRIES

The cover, the footnote, the takeaway.

The readiness checklist for the rollout.

This framing paragraph is masthead material: it hoists to the run's cover instead of repeating on every body page, and the room it frees is room the split can use.

Scoring policy signed by the council chair →

The readiness checklist for the rollout.

Scoring policy signed by the council chair

continues →

The readiness checklist for the rollout. (cont.)

Backtest delta published against the shipped scores

continues →

The readiness checklist for the rollout. (cont.)

Runbook updated with the new weights and the rollback path

continues →

The readiness checklist for the rollout. (cont.)

On-call briefed, with the policy hash in the incident template

continues →

The readiness checklist for the rollout. (cont.)

- Customer-facing changelog drafted and reviewed by support

continues →

The readiness checklist for the rollout. (cont.)

Regional residency review closed with no open findings

continues →

The readiness checklist for the rollout. (cont.)

Data-retention job re-pointed at the new signal store

continues →

The readiness checklist for the rollout. (cont.)

Dashboard queries updated for the renamed score column

the key insight →

The readiness checklist for the rollout.

The closing note belongs to the content immediately above it, so it rides the last body page one size down rather than repeating on each.

KEY INSIGHT

Readiness is a checklist until the first incident. After that it is a habit.