


PROGRESSION · CANVAS · GRAPH

# flowchart

A free-form flowchart: shapes, groups and lines, written as a list.

INCIDENT RESPONSE


Every page reaches a human within 15 minutes.



Failing    — Paging path    .... Waits for business hours


# Events land in the warehouse within a minute.

---




# The operating model has three lines of reporting.


---



# Every page reaches a human within 15 minutes.




rearrange lets a detour sit beside the step it leaves.




PLATFORM

# Payments sit between four parties.



INCIDENT RESPONSE


Every page reaches a human within 15 minutes.



  Failing    — Paging path    ... Waits for business hours

INCIDENT RESPONSE


Every page reaches a human within 15 minutes.



Failing    — Paging path    .... Waits for business hours

INCIDENT RESPONSE

Every page reaches a human within 15 minutes.



  Failing    — Paging path    .... Waits for business hours

# When NOT to reach for flowchart.

## A sequence dressed as a flowchart

Five boxes in a line with arrows between them is a list with decoration. Use `list-steps` or `timeline-list`, which read faster and fit more words.

## Timed interactions or schedules

Messages between actors over time are a sequence diagram (`diagram` with Mermaid); work across dates is `gantt` or `roadmap`.

## Color with no key

Every slot and status the chart uses shows up in the derived key. Renaming entries is free; painting meaning the reader cannot decode is not.

RELATED COMPONENTS

# See also.

`state-chart` — a finite-state machine: states, the events between them, a start and an end

`diagram` — you need Mermaid's full grammar: sequence, class or entity diagrams, or a flowchart with subgraph directions and styles this grammar does not cover

`list-steps` — a linear procedure with no branching and no lines worth drawing

`roadmap` — parallel workstreams across phases, where time is the axis