


EVIDENCE • CANVAS • SERIES


# stacked-bar

Bars split into parts, so one chart carries both the total for each category and the mix inside it.


Each bar is a total; the bands inside it are the mix.




share normalizes every bar, so only the mix is compared.




row turns the stack on its side for long category names.




# Six parts, six periods, one sliver that should have been folded in.




Each bar is a total; the bands inside it are the mix.



Each bar is a total; the bands inside it are the mix.



Each bar is a total; the bands inside it are the mix.



# When NOT to reach for stacked-bar.

## Tracking a part that is not at the bottom

Only the bottom segment shares a baseline, so a reader sees where 'Services' sits, not whether it grew. Put that part first.

## Parts that are not parts

Stacking revenue, headcount and NPS gives a bar whose height means nothing. The parts must sum to something a reader can name.

## A long tail of slivers

A 2 % part is one unit of bar height: too thin to see and impossible to label. Consolidate the tail into one 'Other' part.

# When NOT to reach for stacked-bar.

---

## One category

A single stacked bar is a pie drawn as a column, and a pie reads proportions better. This chart earns its shape ACROSS bars.

RELATED COMPONENTS

# See also.

`piechart` — one total to decompose, with no comparison across categories

`progress` — independent attainment bars with no parts and no shared value axis

`funnel` — the stages are a narrowing pipeline, not parts of a total

`matrix-grid` — the cells are qualitative judgments rather than values that sum