
EVIDENCE · SCATTER · SERIES


radar

Native radar / spider chart — items rated across multiple axes.

The radar maps strengths around the compass.




target draws the bar the shape must clear.




delta shades the gap between two shapes.



benchmark overlays the reference shape.




quadrant shades the compass quarters.




SCALE · 0–10


small-multiples deals one radar per option.




Atlas



Beacon




Cinder




Drift

minimal strips the rings to the shape.




Stress test — eight criteria, three vendors.




Stress test · radar — Many axes, many shapes — the ceiling.

The radar maps strengths around the compass.




The radar maps strengths around the compass.



Composition: compact · radar compact

The radar maps strengths around the compass.



When NOT to reach for radar.

More than four series

Five overlapping polygons become a tangle of edges. Trim to the two or three options the audience is actually choosing between; the rest belong in an appendix table.

Three or fewer axes

Three axes makes a triangle — barely a shape. Below four criteria, the spider collapses and the slide should be a `cards-grid` or `verdict-grid` instead.

Mixed scales across axes

If one axis is 0–10 and another is 0–10,000, the larger axis dominates the polygon and the comparison is misleading. Normalize everything to a shared scale first.

RELATED COMPONENTS

See also.

`quadrant` — two axes are enough — the other six dimensions drop out

`verdict-grid` — the criteria are categorical (pass/fail), not graded

`kpi` — the comparison is one option's metrics, not multi-option

`table` — a precise tabular comparison reads better than a shape

`piechart` — the question is part-to-whole, not multi-criterion