

GRAPH SUBSTANCE · FOURTEEN MERMAID TYPES

Diagrams

When the relationship between things is the message — flow, structure, hierarchy, cause. These are the shapes only a graph renderer draws; anything quantitative has a native chart, and this deck says which.

HOW TO READ THIS DECK

Relationships, not quantities.

One product told two ways: the chart family plots its data, this deck maps its structure — the same Decision Framework, seen as a graph.

orientation • diagram survey

Reach for a diagram when the edges carry meaning

A flowchart's arrows, an ER diagram's cardinality — the connections are the content, not decoration.

Let the diagram own at least half the slide

If the heading dominates and the graph is a sidebar, it is a prose slide with a picture.

The palette drives every stroke automatically

Mermaid pre-renders to SVG with theme tokens injected — dark and accent variants come free.

Quantitative shapes defer to charts

Plans, proportions, positions, boards, and state machines each have a native chart — the last slide maps them.


GROUP 01 • FLOW & SEQUENCE

**How work moves through
the system.**


How a raw signal becomes a logged decision.



The score-and-decide handshake, actor by actor.




Where a thousand signals actually end up.




GROUP 02 · STRUCTURE & SCHEMA

The shape of the data and the code.


The scoring engine as an object model.




The decision log, table by table.



What the audit demands, traced to what satisfies it.




One decision-log record, field by bit.



GROUP 03 • HIERARCHY & SYSTEMS

**Wholes broken into parts,
and parts wired together.**


The whole framework, decomposed on one canvas.




The SDK repository, folder by folder.

```
– /  
  |  
  ├── sdk/  
  |   |  
  |   ├── score.ts  
  |   ├── weights/  
  |   |   |  
  |   |   ├── load.ts  
  |   |   └── calibrate.ts  
  |   └── decide.ts  
  └── package.json
```

The same system, as deployed services.




Who touches the framework, and how.




GROUP 04 · CAUSE, SET & HISTORY

**Why something happened,
what overlaps, and what
shipped.**


Why per-team weighting stalled — the fishbone.



Where the pilot audiences overlap.



How the scoring model reached v2.1.



When the shape is quantitative, use a native chart.

These shapes exist as both a Mermaid diagram and a native SVG-kernel component. Prefer the native one — it is themeable through tokens, lighter (no external renderer), and export-clean.

WHEN YOU HAVE...	MERMAID WOULD DRAW	PREFER THIS NATIVE COMPONENT
A dated plan or sequence of moments	gantt, timeline, journey	<code>gantt</code> · <code>timeline-list</code> · <code>roadmap</code> · <code>journey</code>
A proportion or a position on axes	pie, quadrant, radar	<code>piechart</code> · <code>quadrant</code> · <code>radar</code>
A board or a state machine	kanban, stateDiagram	<code>kanban</code> · <code>state-chart</code>

DIAGRAMS • GRAPH SUBSTANCE

Reach for a diagram when the graph is the slide.

*Fourteen relational shapes, one palette,
one product. For plotted data —
proportions, positions, dated plans, boards
— the native chart family renders it lighter
and fully themeable.*