


EVIDENCE • TIMELINE • SERIES

timeline-list


Date-stamped event list rendered as a horizontal spine — a dot per event with its date pill above and title, status pill, and body stacked below.

The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.




Six milestones is the line's honest length.



The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.



The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.





CHART · TIMELINE-LIST

The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.



When NOT to reach for timeline-list.

Date-less steps

No calendar dates? You have a sequence, not a timeline. Use `list-steps` for an ordered list or `journey` for stage-by-stage progress.

Date-range bars

If each milestone needs a start and end on a shared axis, it's a Gantt chart. Use `gantt` — bar geometry conveys the durations a pill cannot.

Status pills as decoration

The status pill is a verdict — one of the shared ten (`on-track`, `done`, `live`, `at-risk`, `warn`, `blocked`, `fail`, `pilot`, `decision`, `deferred`). Don't invent freeform tags: an unrecognized word still renders a pill, tinted with the default info hue, so it reads as a deliberate `pilot` / `decision` rather than as a mistake. Nothing lints it here.

RELATED COMPONENTS

See also.

`regulatory-update` — the dated entries are regulatory changes
and every row carries a citation

`gantt` — milestones occupy date ranges, not single moments

`list-steps` — the sequence has no dates, just an order

`journey` — stage-by-stage progress without calendar dates

`roadmap` — the timeline is forward-looking and bucketed by
horizon

`progress` — the events are parallel workstreams with
completion percentages