

# A split that reads the other axis

Auto-split used to look only for vertical  
spill. A row of members that ran off the  
right edge was never handed to the  
splitter, so it shipped clipped — and the  
members  
past the edge were simply gone from  
the export.

# Eight is where one palette cycle ends.

Past eight rows the categorical hues repeat, so eight is this layout's practical ceiling — which makes it the right stress case for a split that has to carry its framing forward.

The claim the ledger supports



# Eight is where one palette cycle ends.

01 **Remember** Recall facts, syntax, rules.

How is this done?

02 **Understand** Explain behavior and dependencies.

Why does it work?

03 **Apply** Use patterns in new contexts.

How do I make it work here?

# Eight is where one palette cycle ends. (cont.)

04 **Analyze** Decompose across boundaries.

Where does it break?

05 **Evaluate** Judge options against strategy.

Which option should win?

06 **Create** Synthesize what isn't there.

What should exist?

# Eight is where one palette cycle ends. (cont.)

07 **Transfer** Carry the judgment to new ground.

Where else does this hold?

08 **Teach** Make the reasoning reproducible.

Can someone else do this?

**A sideways stack  
overflows sideways.**

# A sideways stack overflows sideways.

---

**Rows become columns.**

The ranking now reads left to right.

# A sideways stack overflows sideways. (cont.)

---

**Same card anatomy.**

Title, body, optional status pill.

# A sideways stack overflows sideways. (cont.)

---

**Use for timelines.**

Sequence feels natural sideways.

# How the migration runs.

# How the migration runs.

---

## STEP 01

**Freeze the schema — no new columns until the cutover window closes.**

---

→ next: Backfill the shadow table

# How the migration runs.

(cont.)

---

## STEP 02

**Backfill the shadow table — replay six months of history and reconcile.**

---

→ next: Dual-write both paths

# How the migration runs.

(cont.)

## STEP 03

**Dual-write both paths — every write lands in old and new, verified nightly.**

→ next: Flip the readers

# How the migration runs.

(cont.)

## STEP 04

**Flip the readers — move traffic a service at a time, watching error rates.**

→ next: Retire the old path

# How the migration runs.

(cont.)

## STEP 05

**Retire the old path — drop the writes  
once a full week reads clean.**

→ next: Archive the runbook

# How the migration runs.

(cont.)

## STEP 06

**Archive the runbook — file the sign-off records with the control owners.**

→ next: Close the gate

# How the migration runs.

(cont.)

## STEP 07

**Close the gate — confirm the controls transferred to their named owners.**

# What changed

*The veto asks whether splitting narrows the collection, not which way it overflowed. A flex row qualifies; a table does not — its width comes from its columns.*