ENGINE · FRAME CHROME

One page number, one element

Every slide in this deck paginates, and every slide draws its number with the same node. That used to be false, and nothing on the slide said so.

The mark in the bottom-right corner is the same element on every slide of this deck

THE DEFECT

The number in the corner was two different marks, and the frame decided which.

A frame's kind chose the node, and an author could not see the choice.

Two axes decided it: whether the frame keeps the deck's chrome, and therefore whether it has a footer row to put a number in. Eleven frames, split two against nine.

01	**Root**	Two frames, one footer cell.	A real element.
02	**Sovereign**	Nine frames, no footer cell.	A pseudo instead.
03	**Geometry**	Flex child, or positioned pseudo.	Which is this slide?
04	**Surface**	One rule cannot reach both.	Which rules died?

THIS SLIDE IS A SOVEREIGN FRAME

The cost was paid in rules that looked right and did nothing.

No selector over a section's children can reach a pseudo. So a rule could name the page number, be committed, be current, and never paint.

The mark in the bottom-right corner is the same …

The split cover carried three arms for one mark

The footer-cell element, a bare element, and the pseudo — it could be any of them.

The chart family's hero recolor was dead code

A chart slide emits a footer cell, so its pseudo was already retired.

Suppression did not survive the theme packer

The packer strips generated content from a slide-own pseudo rule.

This slide is a root frame. Same corner, same size, same type.

- The number sits at the same inset here as on the two sovereign slides before it.
- Measured, not asserted: a browser reads the inset from each section's own box.
- Every frame kind has to return the same value, or the test fails.
- What changed is the node, not the picture.
- A pagination Tile mints the element on any paginated frame that has none.

Before and after, in one sentence each.

BEFORE

`span.lat-pagination` on two frames, `section::after` on nine. Nothing told an author which.

AFTER

`span.lat-pagination` on all eleven, same berth, one styling surface, one box model.

What a path that runs no Tile still does.

The retirement rule asks whether the element is present, not what kind of frame this is.

A render that mints none matches neither arm, keeps the pseudo, and still shows a number.

Export-to-Marp is that path: Marp draws its own pseudo and runs no Lattice Tile.

The rule this replaced could not be fail-safe — a footer cell is emitted by a transform too.

ISSUE 2206

One mark. An author can now predict it without reading the frame manifests.