SIX NAMED PLANES, AND A LOCAL BAND INSIDE EACH OCCUPANT

A slide is a stack, not a sheet

Everything a reader sees sits on a plane the CSS names out loud.

The planes

Every layer on this deck names its plane

THE TWO THAT SINK

Canvas is the sheet. Atmosphere sits on it, behind the words.

Canvas

The finish field, a full-bleed photo — whatever is printed on.

Atmosphere

Decoration that belongs behind the copy.

The pinstripes here are canvas. The ghost numeral above them is atmosphere.

CONFIDENTIAL

THE THREE THAT RISE

Chrome frames the slide. Marks stamp it. Alarms interrupt it.

Chrome

Header, footer, page number, logo, progress rail — the frame.

Marks

What is stamped onto a delivered slide.

Alarms

Signals that beat everything, so a break cannot hide.

The seal in the corner is a mark: above this slide's header, footer and page number.

INSIDE AN OCCUPANT

A component's internals never touch the slide's planes.

The local band is 0–9

A rail behind a node, a counter over a fill.

The gap does it

Content rests at 0, chrome at 30. The band sits between.

Nothing has to be isolated to hold it there.

Reach for the token, never the number.

RECOMMENDED

Give a new section-level element a `--z-*` token where it is declared. The build refuses a bare number.

WHY

A raw integer is a decision the next author cannot read. Two have already shipped inverted.

If it can be a direct child of the slide, it names a plane. If it always renders inside something else, it stays in the band.

One number line, read the same way everywhere

Every section is its own stacking context, so a plane means the same thing on slide 1 and slide 40.