
PROGRESSION · TIMELINE · SERIES

gantt


Gantt chart — task bars across a date axis.

A gantt lays overlapping work against a shared calendar.

Bars are spans, diamonds are moments, color is status, and tasks that run at the same time stack rather than hide each other.




Every lane overlaps, at the row budget.




A gantt lays overlapping work against a shared calendar.

Bars are spans, diamonds are moments, color is status, and tasks that run at the same time stack rather than hide each other.




A gantt lays overlapping work against a shared calendar.

Bars are spans, diamonds are moments, color is status, and tasks that run at the same time stack rather than hide each other.



A gantt lays overlapping work against a shared calendar.

Bars are spans, diamonds are moments, color is status, and tasks that run at the same time stack rather than hide each other.



When NOT to reach for gantt.

Single workstream

One lane of bars is a timeline, not a gantt. Use `timeline` or `list-steps` when there is no parallel work to coordinate.

More rows than the stage holds

Count rows, not lanes: overlapping tasks stack, and inclusive spans (`Q1..Q2` then `Q2..Q3`) share Q2. With a status key, four one-row lanes fit and five overflow; the bars keep their size. Group lanes, make sequential phases non-overlapping, or split into two slides.

No spans at all

A gantt mixes bars with the odd milestone — but if every task is a point-in-time event with no durations, use `timeline` or `roadmap milestones`. gantt earns its chrome only when bars carry meaningful length.

RELATED COMPONENTS

See also.

`roadmap` — phased grid of deliverables across workstreams without continuous spans

`kanban` — current state by stage rather than schedule by lane

`list-steps` — sequential process with descriptive steps, no parallel lanes