EXPORT TO MARP

What survives the export

The deck-wide registers and every structural transform make it. Six constructs degrade, and the bundle says which.




The deck-wide registers travel in the document, not over the network

- Baked, not fetched
  - Front matter is carried into the rendered HTML as an inert data block, so the color mode, logo, and masthead meta land even from a double-clicked file.
- Why it had to change
  - The runtime used to fetch the source markdown beside the document. `fetch` cannot read a `file://` URL, which is how both a recipient and marp-cli open the deck.

Bracket-marker cells render as swatches on both paths

EXPORT FIDELITY · MARP BUNDLE



Glossary

A – N

EXPORT FIDELITY · MARP BUNDLE


TERM	DEFINITION
ARR	Revenue a business can reliably expect to recur every year.
NDR	The share of last year's revenue kept and expanded.

SOURCE	NOTE
Finance	Q3 close — an unrelated table, which must not feed the range pill

OFFSITE · DAY ONE

The image bucket needs both halves of the fix.

The `![bg]` lift is baked into the exported deck; the text panel is folded by the runtime. Either one alone renders wrong.




Math renders, with a different typesetter

$$\int_0^1 x^2 \, dx = \frac{1}{3}$$

A function-plot fence degrades to its config

EXPORT FIDELITY · MARP BUNDLE



A with-period heading keeps its period only on the engine.

- What differs
  - The trailing period is added while the deck is parsed, which is earlier than any Marp tool lets a plugin in.
- What does not
  - Every component layout, the palette, the typography, and Mermaid all render the same.