

CHART • GANTT • SUB-ROWS


Gantt lane packing

What a lane looks like when two tasks run at the same time.

2026 Q1 .. 2026 Q4 today Q3

Three tasks, one lane, two of them running together.


Scoring model v2 overlaps both its neighbors, so it takes a row of its own; the two that clear each other still share one.



2026 Q1 .. 2026 Q4

Tasks that clear each other still share a row.


Packing only spends height where the data needs it. Nothing here overlaps, so every lane is one row — the same geometry these charts have always had.



2026 Q1 .. 2026 Q4

When everything overlaps, every task gets its own row.

The decision log's three workstreams run across each other end to end. On one row the last one drawn would have been the only one visible.




Three mutually overlapping tasks earn three rows.

2026 Q1 .. 2026 Q4

A milestone never sits on top of a bar.


GA falls inside the rollout's span. It is its own task, so it takes its own row and its diamond reads on any canvas.



2026 JAN .. 2026 DEC

A dense plan keeps the width it has.

Twelve tasks over four workstreams on a month axis. The row band tightens so the unit keeps its aspect instead of scaling down into a narrow column.




Dense: the band compresses rather than letterboxing.

2026 Q1 .. 2026 Q4 today Q3

The now line reads as chrome on either canvas.

It takes the neutral every other reference line in the family takes, so it never wears the same ink as a live bar it crosses — and it sits behind the marks.



What changed.

sub-rows — tasks that overlap on the axis get their own row;
ones that clear each other still share

captions — a caption's budget is the next mark on its own
row, not the next task in the lane

accent — the bar's leading edge is clipped to the bar, so it
cannot escape the corner

key — the swatch centers on the label it keys

today — a neutral reference rule, painted behind the marks