

LATTICE • COMPONENT ADAPTIVE SIZING

Adaptive by box, not by size.

The same five components, rendered on a 9:16 frame. Each reflows to the box it occupies — no size-specific variant was authored into the deck.

What "box-local" changes.

A component reads the box it sits in, not the size you selected.

Type stays anchored to the slide; only the structure reflows.

The trigger is the container's aspect, so a portrait deck and a narrow nested cell are handled by one rule.

Four families carry the structure: wide, square, tall, strip.

The author declares priority and what may drop; the layout honours it.

The quarter held on every metric that mattered.

\$48.2M

Annual recurring revenue

TARGET \$46M • +12% **ON PLAN** BOARD

71%

Gross margin

+3PP Q0Q **ON PLAN** FINANCE

119%

Net revenue retention

+4PP Y0Y **AHEAD** INVESTOR

\$0.9M

Cash burn

TARGET \$1.4M **ON PLAN** BOARD

Where the next two quarters get spent.

Effort · Impact

Migrate the data layer

High impact, low effort — start now.

Rebuild the editor

High impact, high effort — staff in Q1.

Rename the workspace

Low impact, low effort — defer.

Re-platform billing

Low impact, high effort — do not start.

Four pilots, four lessons.

Onboarding.

Teams that finished setup in one sitting retained at twice the rate.

Scoring.

The default weights were re-tuned by almost every team within a month.

Logging.

Predicted-outcome fields stayed blank until we made them one tap.

Review.

Weekly log review was the single strongest signal of a healthy pilot.

Build the data layer, or buy it?

Both paths are viable. The difference is where we spend the next eighteen months.

BUILD IN-HOUSE

- Full control over schema and roadmap
- 2–3 engineer-quarters to feature parity

BUY + CONFIGURE



- Ship in six weeks, not nine months
- Exit risk manageable — data export contractually guaranteed

RECOMMENDATION

Buy the infrastructure. Build the differentiation. Revisit in twenty-four months.

How the reflow decides.

01 Measure the box the component occupies, not the deck.

02 Pick the family from the box's aspect ratio.

03 Keep type anchored to the slide; reflow only the structure.

04 Shed the lowest-priority parts last, only when the box is tightest.

One contract, every frame.

*engineering/decisions/2026-06-18-
component-adaptive-sizing.md*

Nothing on these slides selected a size.

The components did.