


MERMAID FLOWCHART NARRATION

Read-aloud that reads the graph.

A `diagram` slide's flowchart used to narrate its heading and go silent. Now read-aloud (and the exported captions) speak the nodes and the arrows between them.

01 • LABELED FLOW


How a signal becomes a decision.

**KEY INSIGHT**

Each arrow is spoken: "Signal Intake leads to Scoring Model. Scoring Model, scored signal, leads to Decision Log," and so on — the edge labels read as clauses.

02 • DECISION BRANCH


A gate that splits the path.

**KEY INSIGHT**

A diamond's branches are carried by its labeled out-edges — "Within policy? yes leads to Auto-approve; no leads to Send to review" — so the fork is narrated without reading shape names.

03 • CHAINED + FEEDBACK


A straight line with one loop back.

**KEY INSIGHT**

Chained edges (**A** $\longrightarrow$ **B** $\longrightarrow$ **C**) split into one spoken step each, and the dotted feedback edge reads "Calibration, adjust weights, leads to Score and weight."


04 • GROUPED STAGES

Subgraphs still narrate their edges.

**KEY INSIGHT**

Group boxes carry no spoken topology in this first version, but every edge inside and across them is read — "Collect leads to Normalize ... Normalize leads to Score ... Score leads to Log."

A non-flowchart type reads its heading.



KEY INSIGHT

Sequence, class, state, ER, and gantt diagrams are not yet narrated — they fall back to the heading and this caption, exactly as before. No confidently-wrong reading of a graph the narrator can't yet parse.

The arrows are spoken now.

*flowchart topology · read-aloud + exported
captions*