FIX · DECK-WIDE CLASS

One deck class, every slide

This deck says `class: no-progress no-footer` once, in its front matter.

SECTION 01

The deck turns the rail and the footer off

NO CLASS OF ITS OWN

A plain slide follows the deck

The front matter turned the section rail and the running footer off, so this slide shows neither.

A deck class reaches every slide that names no class of its own.

ITS OWN _CLASS

A slide with its own class follows it too

Before

Marp let a slide's `_class` drop the deck class, bringing the rail back.

Now

The slide's classes add to the deck's, so the rail stays off here too.

WITH-PROGRESS · WITH-FOOTER

One slide can turn them back on

This slide adds `with-progress with-footer` to its own class. The section dots and the footer return.

A slide's `with-X` wins over the deck's `no-X`, for every switch.

SILENT WITH-PAGINATION

A clean slide can keep one band

`silent` hides the header, footer, page number and rail together. This slide brings back only its page number.

ONE SPELLING

Every switch reads the same way

SWITCH	OFF	BACK ON
Section rail	`no-progress`	`with-progress`
Running footer	`no-footer`	`with-footer`
Page number	`no-pagination`	`with-pagination`
Callouts	`no-callout`	`with-callout`
Motion	`no-motion`	`with-motion`

✦ *The old `callout-off`, `motion-on` and `finish-none` spellings are retired; `lint:deck` rewrites them.*

SECTION 02

The same rule in an exported Marp bundle

EXPORT TO MARP

The bundle keeps its settings in one block

```
---
marp: true
theme: indaco
---
<script type="application/lattice-settings">
class: no-progress no-footer
</script>
```

✦ *Edit that block and marp-cli, the VS Code preview and VS Code's Export command all follow it.*

FIX · DECK-WIDE CLASS

One class, every slide

Turn a switch back on for one slide with `with-X`.