


EVIDENCE • TIMELINE • SERIES

# timeline-list


Date-stamped event list rendered as a horizontal spine — a dot per event with its date pill above and title, status pill, and body stacked below.

# The timeline pins events to their dates.

*Four milestones show the shape; the date chips carry the when.*




# Six milestones is the line's honest length.




# The timeline pins events to their dates.

*Four milestones show the shape; the date chips carry the when.*




# The timeline pins events to their dates.

*Four milestones show the shape; the date chips carry the when.*



# The timeline pins events to their dates.

*Four milestones show the shape; the date chips carry the when.*



# When NOT to reach for timeline-list.

## Date-less steps

No calendar dates? You have a sequence, not a timeline. Use `list-steps` for an ordered list or `journey` for stage-by-stage progress.

## Date-range bars

If each milestone needs a start and end on a shared axis, it's a Gantt chart. Use `gantt` — bar geometry conveys the durations a pill cannot.

## Status pills as decoration

The status pill is a verdict — `decision`, `live`, `at-risk`, `blocked`, `done`. Don't invent freeform tags; the engine tints only the known vocabulary.

RELATED COMPONENTS

# See also.

`gantt` — milestones occupy date ranges, not single moments

`list-steps` — the sequence has no dates, just an order

`journey` — stage-by-stage progress without calendar dates

`roadmap` — the timeline is forward-looking and bucketed by  
horizon

`progress` — the events are parallel workstreams with  
completion percentages