


EVIDENCE • CANVAS • SERIES


bullet

Actual against target inside a qualitative band — one dense row per KPI.


Two of five KPIs cleared the plan line.




shared-axis puts every row on one ruler.



own-axis lines the plan up and lets each row keep its scale.




Stress test — seven rows, one runaway, one at zero.




Q3 2026 · COMMERCIAL PLAN

Two of five KPIs cleared the plan line.




Q3 2026 · COMMERCIAL PLAN

Two of five KPIs cleared the plan line.



Two of five KPIs cleared the plan line.



When NOT to reach for bullet.

No target to measure against

A row with one pill draws a bar with no marker and no range — every mark that makes it a bullet is gone. Use `bar` instead.

One KPI on its own

A single row spends a whole slide on two numbers. Use `big-number`, or `stats` for a short row. This chart earns its density.

Red/amber/green range bands

The zones are one neutral on purpose: a traffic-light range re-states the verdict the target marker already carries.

When NOT to reach for bullet.

A KPI where lower is better

Cost against budget, churn against a ceiling: the bar grows past the marker, so beating the target reads as missing it.

See also.

`progress` — percent-complete with a status verdict and no target or range — HTML bars, so no marker and no band, but the row carries a status pill and a note the bullet has no room for

`bar` — magnitudes compared against each other rather than against a plan

`big-number` — one figure against its target is the entire slide

`stats` — a row of independent headline metrics with no shared scale

`gantt` — the rows are time-bound work, not measures against a threshold