

LATTICE · THE COPY-AND-GO KIT

Markdown in. Boardroom out.

Everything on the next twelve slides is written in plain Markdown, in this file.
Read it in your editor and in the render side by side — they are the same thing.

This deck documents itself.

Every slide shows a component **and** the Markdown that made it.

- 01 **One file** The whole deck. Nothing else to set up.
- 02 **One folder** Everything it needs sits beside it.
- 03 **One line** Picks the layout. Sixty-one to choose from.

Three steps to a rendered deck.

STEP 01

Copy the folder

Drop these files anywhere.
Keep them together — paths
are relative.



STEP 02

Open it in VS Code

With the Marp extension
installed, the preview pane
opens on this file.



STEP 03

Edit and watch

Change a heading. The preview
follows. That is the whole loop.

HOW A SLIDE IS WRITTEN

One comment picks the layout.

Everything else stays Markdown.

Copy this folder. Edit this file.

A comment names the layout

`<!-- _class: kpi -->` and the next slide is a KPI row.

Headings carry the argument

Write the heading as a sentence, not a label. It is the slide's claim.

Lists become structure

A nested title-and-body pair becomes a card, a step, or a tile.

Seven keys of front matter, then one comment per slide.

```
marp: true           # activates the Marp extension / marp-cli
theme: cuoio         # the palette; cuoio is the default
paginate: true       # page numbers
size: hd             # 16:9 at 1280x720
class: dark          # optional – flips the whole deck to dark
header: "Lattice · Sample Deck"
footer: "Copy this folder. Edit this file."
```

`class:` is Marp's own key: whatever you put there lands on every slide, so

`class: dark` reaches Lattice's `dark` styling with nothing else to configure.

Then each slide opens with one comment naming its layout — `_class: kpi`,

`_class: diagram`, `_class: quote`. That comment is the entire API.

What the folder costs you.

1

folder to copy

KEEP IT TOGETHER **COMPLETE**

5 MB

on disk, minified

CSS + RUNTIME + FONTS

61

layouts available


NONE TO INSTALL **INCLUDED**

0

build steps


BEFORE FIRST RENDER **NONE**

From this file to a rendered slide.



THIS KIT, SCORED AGAINST WHAT A DECK TOOL SHOULD BE

Charts are Markdown too — no image, no plugin.



What renders where — read this before you trust a surface.

SURFACE	LAYOUT	TYPE	DIAGRAMS	CHARTS
<code>marp --pdf</code>	✓	✓	✓	✓
<code>marp --html</code>	✓	✓	—	—
VS Code preview	✓	✓	○	○

A filled mark works. A half mark works once the file is opened in a browser, with the two `.js` files still beside it. An open mark is unconfirmed. Anything CSS draws holds everywhere — diagrams and charts need a browser that runs the runtime.

TYPESET BY WHICHEVER ENGINE YOUR TOOL USES

Equations are inline in the Markdown.

$$\sigma(z)_i = \frac{e^{z_i}}{\sum_{j=1}^K e^{z_j}}$$

WHERE

- z — the raw score vector, length K
- $\sigma(z)_i$ — probability assigned to class i
- $\sum_j e^{z_j}$ — the normalizer; outputs sum to 1
- Written as `$$ ... $$` between blank lines

The parts you will touch, and what each one does.

01	This deck	Your starting point. Edit it in place.	SAMPLE-DECK.MD
02	The engine	Every layout and token lives here.	LATTICE.MIN.CSS
03	The palette	Swap it to restyle. A dark one ships beside it.	CUOIO.MIN.CSS
04	The runtime	Builds charts and diagrams in the browser.	LATTICE-RUNTIME.MIN.JS
05	Mermaid	Third party. Required for diagram slides.	MERMAID-V11.MIN.JS
06	Type	Thirty-seven files. Drop them and type falls back.	FONTS/

The config files and `NOTICE.md` are listed in the README.

*Write the deck in Markdown, render it through a real
browser.*

THE ONE IDEA LATTICE KEEPS FROM MARP

Now change something.

Edit this file · the preview follows

*Swap `theme: cuoio` for another
palette. Delete a slide. Add your own.
Nothing here needs a build step to try.*