

EVIDENCE • CANVAS • SERIES


# piechart

Pie or donut chart with legend — proportional wedges.

H1 2026 · 1,840 PERSON-HOURS

# The pie gives each share one wedge.


*Nearly half went to producing decks; the deciding itself was the smallest slice.*



H1 2026 · 1,840 PERSON-HOURS

# donut opens the center for the total.


*The toil-and-on-call slice is the one nobody put in the roadmap.*



Refreshed weekly · figures from the time-tracking export

FY2026 · 1,840 PERSON-HOURS


# Stress test — eleven slices, long-tail distribution, none of it on the roadmap.



H1 2026 · 1,840 PERSON-HOURS

# The pie gives each share one wedge.


*Nearly half went to producing decks; the deciding itself was the smallest slice.*



H1 2026 · 1,840 PERSON-HOURS

# The pie gives each share one wedge.


*Nearly half went to producing decks; the deciding itself was the smallest slice.*



H1 2026 · 1,840 PERSON-HOURS

# The pie gives each share one wedge.

*Nearly half went to producing decks; the deciding itself was the smallest slice.*



# When NOT to reach for piechart.

## Slices that don't sum to a whole

A pie of unrelated metrics is meaningless — the visual implies parts of a whole. If your values are independent measures, use stats or a bar chart instead.

## Two slices

A two-slice pie is just a percentage with extra steps. Use big-number or split-panel metric — the audience can read '38% / 62%' faster than they can decode a half-and-half disc.

## Comparing two pies

Side-by-side pies force the audience to compare wedge angles across two figures — humans are bad at this. Use grouped bars or a slope chart to land the comparison cleanly.



RELATED COMPONENTS

# See also.

`progress` — comparable parts but precise differences matter

`stats` — the values are independent metrics, not a partition

`big-number` — the headline is one slice, not the breakdown

`kpi` — the slices need status framing and targets