

EVIDENCE • SCATTER • SERIES

quadrant

Native 2×2 scatter chart — items plotted on two continuous axes.

EFFORT 0-10 → REACH 0-100

The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.




EFFORT 0-10 → REACH 0-100

bubble sizes each point by a third value.




EFFORT 0-10 → REACH 0-100

trail shows where each point moved from.



EFFORT 0-10 → REACH 0-100


cohort colors the points by group.



Strategic Bets	2
Quick Wins	2
Defer	2
Time Sinks	2

EFFORT 0-10 → REACH 0-100 · TARGETS 5, 50

threshold draws the lines that matter.



COMPLETENESS OF VISION 0-100 → ABILITY TO EXECUTE 0-100

magic draws the four named corners.



EFFORT 0-10 → REACH 0-100

minimal strips the chart to its points.



EFFORT 0-10 → REACH 0-100

Stress test — fourteen initiatives, dense labels, one owner.



EFFORT 0-10 → REACH 0-100

The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.



EFFORT 0-10 → REACH 0-100

The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.



EFFORT 0-10 → REACH 0-100

The quadrant scatters items on two axes.

Effort in analyst-weeks; reach as the percent of teams that would adopt it, optimistically.



When NOT to reach for quadrant.

Static categorical 2x2.

If the quadrants are fixed labels (Important × Urgent, Build × Buy × Partner × Defer) and items are placed by category not coordinate, use

matrix-
2x2

. quadrant

is
data-
driven;

matrix-
2x2

is
conceptual.

Single axis matters.

If one axis is decorative and only the other carries meaning, you have a ranking, not a scatter. Use

progress

for
percent-
complete
or

kpi

for ranked
metrics with
status.

Coordinates without an audience-shared scale.

If $\begin{matrix} 8, \\ 80 \end{matrix}$ requires a footnote to interpret, the slide doesn't pay off. Either label the axis units in the eyebrow (

Effort 0-
10 → Reach
0-100

) or normalise to a familiar scale before authoring.

RELATED COMPONENTS

See also.

`matrix-2x2` — the 2×2 is categorical, not coordinate-based

`radar` — items rated across more than two criteria

`progress` — percent-complete on a single axis

`piechart` — part-to-whole, not bivariate position

`verdict-grid` — comparing options against shared categorical criteria