


EVIDENCE · TIMELINE · SERIES

timeline-list


Date-stamped event list rendered as a horizontal spine — a dot per event with its date pill above and title, status pill, and body stacked below.

The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.



Six milestones is the line's honest length.



The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.





CHART · TIMELINE-LIST


The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.



The timeline pins events to their dates.

Four milestones show the shape; the date chips carry the when.



When NOT to reach for timeline-list.

Date-less steps. No calendar dates? You have a sequence, not a timeline. Use `list-steps` for an ordered list or `journey` for stage-by-stage progress.

Date-range bars. If each milestone needs a start and end on a shared axis, it's a Gantt chart. Use `gantt` — bar geometry conveys the durations a pill cannot.

Status pills as decoration. The status pill is a verdict — `decision`, `live`, `at-risk`, `blocked`, `done`. Don't invent freeform tags; the engine tints only the known vocabulary.

RELATED COMPONENTS

See also.

`gantt` — milestones occupy date ranges, not single moments

`list-steps` — the sequence has no dates, just an order

`journey` — stage-by-stage progress without calendar dates

`roadmap` — the timeline is forward-looking and bucketed by horizon

`progress` — the events are parallel workstreams with completion percentages