

BACKDROP: 60 CLEAR · DECK-WIDE

Restrain any finish

The atrium finish at 60%, cleared behind the words, on a dark bookend.

DECK-WIDE

One line tames the whole deck.

`backdrop: 60 clear` dims atrium to 60% and clears it from behind the content on every slide. Atrium is built in, so until now it had no restraint control.

The finish still frames the slide at the margins.

BACKDROP-FULL BACKDROP-OPEN

For contrast: atrium at full strength.

This slide opts out of both deck values: full strength, no mask. The glow and grid sit right behind the text, which is the problem the register exists to solve.

A slide overrides one axis at a time.

This slide sets only its strength. It keeps the deck's `clear`, so atrium returns at full strength yet still steps back behind the words.

BACKDROP-SPOT-TR


Or show the finish in a single window.

`spot-tr` reveals atrium in the top-right corner and hides it everywhere else. Nine anchors cover the slide, from `spot-tl` to `spot-br`.

FINISH-GRAPH • BACKDROP-40 BACKDROP-SPOT-BL

Both axes compose on one slide.

The graph grid at 40%, shown only in the bottom-left corner. The words sit on clean canvas.




A fabricated finish bakes its own mask.

The **graph** finish bakes a clearance in Fabricate. On this slide, `backdrop-open` discards it and the grid runs right through the text.

The register replaces a baked mask.

Here `spot-c` swaps graph's baked clearance for a centered window. The slide token wins, then the deck line, then the value baked in Fabricate.



BACKDROP: 20-80 · CLEAR · SPOT-* · OPEN · FULL

Any finish, any slide.

*Restraint for built-in and fabricated
finishes, deck-wide or per slide.*