

UNIVERSAL TOKEN SYSTEM • PHASE 3

Two honest axes, not three muddled ones.

*One status vocabulary for the whole engine — and a separate, semantic name for the
diagram lifecycle it was tangled with.*

Status is not lifecycle.

Status axis

`--status-pass` / `-warn` / `-fail` / `-info` / `-mute`

— one vocabulary shared by the state-discs and the charts.

Diagram lifecycle

`--diagram-active` / `-done` / `-critical` — gantt

task states, named for what they mean.

Annotation

`--diagram-today` (the today line) and `--diagram-note` (aside surfaces).

Why split


A gantt "in-progress" tone is not a "warn". Forcing them into one set was the magic; two axes is the truth.

Status axis — the state-discs.

- ✓ Signal taxonomy ratified
- ✓ Decision log live in staging
- Pilot teams trained, two still circling back
- Exec sponsor confirmed for launch comms
- ⌘ ~~Legacy export path — waived for v1~~

01 · GANTT


Diagram lifecycle — active, done, critical.



KEY INSIGHT

Bars read `--diagram-done` / `--diagram-active` / `--diagram-critical` (each with its paired `-mark` stroke); the today line reads `--diagram-today`.

Annotation — note surface and today highlight.



KEY INSIGHT

The note surface reads `--diagram-note`; its border borrows the `--diagram-today` highlight — value reuse made explicit, not hidden.

PHASE 3 OF 7 • SEE [ENGINEERING/DECISIONS/2026-06-11-UNIVERSAL-TOKEN-SYSTEM.MD](#)

One status vocabulary;
an honest lifecycle.