

UNIVERSAL TOKEN SYSTEM • PHASE 2

Borders and lines, named for the job.

The diagram-structural foregrounds move off the `--c-` junk drawer onto the `--diagram-` group — same pixels, clearer names.

Three structural foregrounds.

diagram-stroke

The border around any categorical band fill (was `--c-stroke`).

diagram-line


Edges, arrows, and connectors between nodes (was `-c-line`).

diagram-accent-warm

A secondary warm accent — radar's second curve (was `--c-accent-warm`).

01 • FLOWCHART


Node borders read stroke; edges read line.

**KEY INSIGHT**

Every box border is `--diagram-stroke`; every arrow and label connector is `--diagram-line` — both painted via the upgraded offline bridge.

02 • SEQUENCE


Actor frames and signal lines, same two tokens.

**KEY INSIGHT**

Actor boxes and the activation bars border on `--diagram-stroke`; the lifelines and signals draw on `--diagram-line`.

03 • CLASS

Boxes, dividers, and relations.

**KEY INSIGHT**

Class-box borders and member dividers are `--diagram-stroke`; the relation arrow is `--diagram-line`.

PHASE 2 OF 7 • SEE [ENGINEERING/DECISIONS/2026-06-11-UNIVERSAL-TOKEN-SYSTEM.MD](#)

Structural foregrounds,
off the junk drawer.